



TITLE: LEAD HAVING VARYING STIFFNESS AND METHOD OF MANUFACTURING THEREOF
INVENTOR'S NAME: BRUCE TOCKMAN, ET AL.
SERIAL NO.: 09/630,000 DOCKET NO.: 279.246US1

REPLACEMENT SHEET

1/8




Fig. 1




Fig. 2A




Fig. 2B



TITLE: LEAD HAVING VARYING STIFFNESS AND METHOD OF MANUFACTURING THEREOF
INVENTOR'S NAME: BRUCE TOCKMAN, ET AL.
SERIAL NO.: 09/630,000 DOCKET NO.: 279.246US1

REPLACEMENT SHEET

2/8




Fig. 3




Fig. 4


O I P E IAP35
MAY 21 2007
ENT & TRADEMARKS OFFICE

TITLE: LEAD HAVING VARYING STIFFNESS AND METHOD OF MANUFACTURING THEREOF
INVENTOR'S NAME: BRUCE TOCKMAN, ET AL.
SERIAL NO.: 09/630,000 DOCKET NO.: 279.246US1


REPLACEMENT SHEET

3/8

100



100





TITLE: LEAD HAVING VARYING STIFFNESS AND METHOD OF MANUFACTURING THEREOF
INVENTOR'S NAME: BRUCE TOCKMAN, ET AL.
SERIAL NO.: 09/630,000 DOCKET NO.: 279.246US1

REPLACEMENT SHEET

4/8




Fig. 7




Fig. 8



TITLE: LEAD HAVING VARYING STIFFNESS AND METHOD OF MANUFACTURING THEREOF
INVENTOR'S NAME: BRUCE TOCKMAN, ET AL.
SERIAL NO.: 09/630,000 DOCKET NO.: 279.246US1

REPLACEMENT SHEET

5/8




Fig. 9




Fig. 10




Fig. 11



TITLE: LEAD HAVING VARYING STIFFNESS AND METHOD OF MANUFACTURING THEREOF
INVENTOR'S NAME: BRUCE TOCKMAN, ET AL.
SERIAL NO.: 09/630,000 DOCKET NO.: 279.246US1

REPLACEMENT SHEET

6/8

200




Fig. 12

200




Fig. 13



TITLE: LEAD HAVING VARYING STIFFNESS AND METHOD OF MANUFACTURING THEREOF
INVENTOR'S NAME: BRUCE TOCKMAN, ET AL.
SERIAL NO.: 09/630,000 DOCKET NO.: 279.246US1

REPLACEMENT SHEET

7/8




Fig. 14



TITLE: LEAD HAVING VARYING STIFFNESS AND METHOD OF MANUFACTURING THEREOF
INVENTOR'S NAME: BRUCE TOCKMAN, ET AL.
SERIAL NO.: 09/630,000 DOCKET NO.: 279.246US1

REPLACEMENT SHEET

8/8




Fig. 15



Fig. 16